

Eaton 216374

Catalog Number: 216374

Eaton Moeller® series M22 Mounting clamp



General specifications

| | |
|--|-----------------------|
| Product Name | Catalog Number |
| Eaton Moeller® series M22 Accessory Mounting clamp | 216374 |
| | EAN |
| | 4015082163747 |
| Product Length/Depth | Product Height |
| 10 mm | 41 mm |
| Product Width | Product Weight |
| 30 mm | 0.003 kg |

Certifications

UL
UL 508
UL Category Control No.: NKCR
IEC/EN 60947-5
UL File No.: E29184
CSA-C22.2 No. 14-05
CE
CSA Class No.: 3211-03
CSA
CSA File No.: 012528
CSA-C22.2 No. 94-91



Powering Business Worldwide

Type

Mounting clamp (front mounting) for 3-contact LED elements

10.10 Temperature rise

Not applicable.

10.11 Short-circuit rating

Is the panel builder's responsibility. The specifications for the switchgear must be observed.

10.12 Electromagnetic compatibility

Is the panel builder's responsibility. The specifications for the switchgear must be observed.

10.13 Mechanical function

The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.

10.2.2 Corrosion resistance

Meets the product standard's requirements.

10.2.3.1 Verification of thermal stability of enclosures

Meets the product standard's requirements.

10.2.3.2 Verification of resistance of insulating materials to normal heat

Meets the product standard's requirements.

10.2.3.3 Resist. of insul. mat. to abnormal heat/fire by internal elect. effects

Meets the product standard's requirements.

10.2.4 Resistance to ultra-violet (UV) radiation

Please enquire

10.2.5 Lifting

Does not apply, since the entire switchgear needs to be evaluated.

10.2.6 Mechanical impact

Does not apply, since the entire switchgear needs to be evaluated.

10.2.7 Inscriptions

Meets the product standard's requirements.

10.3 Degree of protection of assemblies

Does not apply, since the entire switchgear needs to be evaluated.

10.4 Clearances and creepage distances

Meets the product standard's requirements.

Declarations of conformity

DA-DC-00004971.pdf

DA-DC-00004975.pdf

Dibujos

eaton-operating-adapter-m22-mounting-clamp-dimensions-002.eps

eaton-operating-samrtwire-m22-mounting-clamp-3d-drawing.eps

eaton-operating-adapter-m22-mounting-clamp-flow-diagram.eps

eCAD model

ETN.216374.edz

Instrucciones de instalación

IL04716002Z

mCAD model

DA-CD-adapter

DA-CS-adapter

Multimedia

RMQ small E-Stop emergency-stop button

PEP Eco-passport

EATO-00049-V01.01-EN

Reportes de certificaciones

DA-DC-00004134.pdf

DA-DC-00004157.pdf

DA-DC-00004176.pdf

DA-DC-00004135.pdf

DA-DC-00004180.pdf

DA-DC-00004141.pdf

System overview

Pilot devices - selection aid

10.5 Protection against electric shock

Does not apply, since the entire switchgear needs to be evaluated.

10.6 Incorporation of switching devices and components

Does not apply, since the entire switchgear needs to be evaluated.

10.7 Internal electrical circuits and connections

Is the panel builder's responsibility.

10.8 Connections for external conductors

Is the panel builder's responsibility.

10.9.2 Power-frequency electric strength

Is the panel builder's responsibility.

10.9.3 Impulse withstand voltage

Is the panel builder's responsibility.

10.9.4 Testing of enclosures made of insulating material

Is the panel builder's responsibility.

Climatic proofing

Damp heat, constant, to IEC 60068-2-78

Damp heat, cyclic, to IEC 60068-2-30

Connection to SmartWire-DT

Yes

Connection type

Front fixing

Ambient operating temperature - max

70 °C

Ambient operating temperature - min

-25 °C

Built-in diameter

22 mm

Equipment heat dissipation, current-dependent P_{vid}

0 W

Force for positive opening - min

0 N

Heat dissipation capacity P_{diss}

0 W

Heat dissipation per pole, current-dependent P_{vid}

0 W

Number of appliances to build in

1

Rated operational current for specified heat dissipation (In)

0 A

Static heat dissipation, non-current-dependent Pvs

0 W



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. Todos los
derechos reservados.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia